

SECTION 1 – IDENTIFICATION

NAME:

USE:

P-4000

Powder pre-soak agent for utensils and dishes

MANUFACTURER: B.O.D. CHEMICALS INC. 3300, Star Street, Saint-Hubert, Qc, Canada, J3Y 3W6 Phone : (450) 443-5556 / Fax : (450) 443-6230 / Email : info@chimiquesbod.com EMERGENCY PHONE: 1 (877) 565-8540 **SECTION 2 – HAZARDS IDENTIFICATION GHS CLASSIFICATION PHYSICAL HAZARDS:** Corrosive to metals, category 1 **HEALTH HAZARDS:** Acute toxicity, oral, category 4 Skin corrosion / Irritation, category 1 Serious eye damage / Eye irritation, category 1 **ENVIRONMENTAL HAZARDS:** Not available **GHS LABEL ELEMENTS** PICTOGRAM: SIGNAL WORD: DANGER HAZARD STATEMENTS: May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. **PRECAUTIONARY STATEMENTS PREVENTION:** Keep only in original container. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathing dust. Wear protective gloves/protective clothing/eye protection/face protection. **RESPONSE:** Absorb spillage to prevent material damage. If swallowed: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water for at least 20 minutes/shower. Wash contaminated clothing before reuse. If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see supplemental first aid on the label). If in eyes: Rinse immediately and cautiously with water for 15-20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing, keeping eyelids open. Immediately call a POISON CENTER or doctor/physician. STORAGE / DISPOSAL: Store in corrosive resistant container. Store locked up. Dispose of contents/container in accordance with local regulations (see 13th section).

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

| INGREDIENT Sodium carbonate | CAS 000497-19-8 | % (W/W) 10 - 30 | |
|---------------------------------------|---------------------------|---------------------------|--|
| Sodium metasilicate | 006834-92-0 | 10 - 30 | |
| · · · · · · · · · · · · · · · · · · · | | | |

SECTION 4 – FIRST AID MEASURES

| SKIN: | Remove contaminated clothing. Rinse skin with water for at least 20 minutes/shower. Consult a physician if irritation persists. |
|--|---|
| EYES: | Rinse cautiously with water for 15-20 minutes, keeping eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| INGESTION: | Rinse mouth. Do not induce vomiting. Drink 3 to 4 glasses of water or milk. Do not give anything by mouth if victim is unconscious. Call a physician immediately. |
| INHALATION: | Breathe fresh air. Give artificial respiration if necessary. Consult a physician if discomforts persist. |
| MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: | Skin: Burning and severe skin damage, redness of the skin. Eyes: Causes serious eye damage. Symptoms may include burning, tingling, watery eyes, redness, swelling and blurred vision. This could result in permanent eye damage. |
| TO PHYSICIAN: | Treat symptoms. |

SECTION 5 – FIRE-FIGHTING MEASURES

| EXTINGUISHING MEDIA: | Water spray, carbon dioxide, chemical powder, foam. |
|-----------------------------------|--|
| UNSUITABLE EXTINGUISHING MEDIA: | Do not use water jet as an extinguisher, as this will spread the fire. |
| SPECIFIC HAZARDS: | Not flammable. Under fire conditions, toxic and corrosive fumes are emitted. The product does not burn itself but may decompose upon heating to produce carbon monoxide and dioxide, corrosive and/or toxic fumes. |
| SPECIAL FIRE FIGHTING PROCEDURES: | Wear protective clothing and self-contained breathing apparatus if necessary. |

SECTION 6 – ACCIDENTAL RELEASE MEASURES

| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: | Ventilate enclosed areas. Avoid contact of the product with eyes and skin. Do not breathe dust. Wear gloves, safety goggles and respirator if needed. Prevent discharge in sewers. Keep away from incompatible materials. |
|--|---|
| ENVIRONMENTAL PRECAUTIONS: | Avoid the spillage or runoff entering drains, sewers or watercourses. |
| METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: | Wear protective clothing. Control spill to prevent runoff into sewers. Recover in suitable containers. Rinse area with water. |

SECTION 7 – HANDLING AND STORAGE

| PRECAUTIONS FOR SAFE HANDLING: | Avoid contact of the product with eyes and skin. Do not breathe dust. Do not eat, drink or smoke when using this product. Wash hands after handling. |
|--|---|
| CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: | Keep containers closed, in fresh, dry and well ventilated area, away from incompatible materials. |

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

No occupational exposure limits known.

APPROPRIATE ENGINEERING Good ventilation **CONTROL**:

PERSONAL PROTECTIVE EQUIPMENT



| SKIN: | Protective clothing. Impermeable gloves. |
|-------------------|---|
| EYES: | Safety goggles. |
| RESPIRATORY: | If ventilation is inadequate, suitable respiratory protection must be worn. |
| HYGIENE MEASURES: | Wash hands after handling. |

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| APPEARANCE / FORM: | Powder |
|---|---------------|
| COLOR: | Pink |
| ODOR: | Chlorine |
| ODOR THRESHOLD: | Not available |
| pH (solution 1%): | 12 - 14 |
| MELTING POINT / FREEZING POINT (°C): | Not available |
| BOILING POINT (°C): | Not available |
| FLASH POINT (°C): | Not available |
| EVAPORATION RATE: | Not available |
| EXPLOSIVE LIMITS: | Not available |
| VAPOUR PRESSURE: | Not available |
| VAPOUR DENSITY: | Not available |
| DENSITY (kg/L): | 0.90 - 1.00 |
| WATER SOLUBILITY: | Complete |
| PARTITION COEFFICIENT N-OCTANOL / WATER: | Not available |
| AUTOIGNITION TEMPERATURE (°C): | Not available |
| DECOMPOSITION TEMPERATURE (°C): | Not available |

SECTION 10 – STABILITY AND REACTIVITY

| REACTIVITY: | No dangerous reaction known under conditions of normal use. |
|-----------------------------------|--|
| CHEMICAL STABILITY: | Stable at normal ambient temperatures and when used as recommended. |
| HAZARDOUS REACTIONS: | Hazardous polymerisation does not occur. |
| CONDITIONS TO AVOID: | Heat, sunlight, contact with incompatible materials. |
| INCOMPATIBILITY: | Acids, reducing agents, oxidizing agents, soft metals (Al, Zn, Sn), ammonia. |
| HAZARDOUS DECOMPOSITION PRODUCTS: | Not available. |

SECTION 11 – TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

| SKIN: | Causes severe skin burns. |
|-------------|----------------------------|
| EYES: | Causes serious eye damage. |
| INHALATION: | May cause an irritation. |

| INGESTION: | Harmful if swallowed. | |
|--|---|--|
| NUMERIC VALUES OF TOXICITY | | |
| ACUTE ORAL TOXICITY: | Harmful if swallowed. LD50 (rat): 1879 mg/kg | |
| ACUTE DERMAL TOXICITY: | Not available. No health effects (normal conditions of use). | |
| ACUTE INHALATION TOXICITY: | Not available. No health effects (normal conditions of use). | |
| DELAYED AND IMMEDIATE EFFECTS | | |
| SKIN CORROSION / IRRITATION: | Causes severe skin burns. | |
| SERIOUS EYE DAMAGE / EYE IRRITA | TION: Causes serious eye damage. | |
| RESPIRATORY SENSITIZATION: | Not expected to cause respiratory sensitization. | |
| SKIN SENSITIZATION: | Not expected to cause skin sensitization. | |
| GERMINAL CELL MUTAGENICITY: | No data available to indicate product or components present at greater than 0.1% are mutagenic or genotoxic. | |
| CARCINOGENICITY: | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen. | |
| REPRODUCTIVE TOXICITY: | No potential reproductive toxicity. | |
| SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE: | - Not classified. | |
| SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE: | Not classified. | |
| ASPIRATION HAZARD: | Not classified. | |
| SECTION 12 - ECOLOGICAL | | |
| ECOTOXICITY: | Sodium carbonate LC50, Daphnia magna, 96h, 265 – 565 mg/l | |
| | Sodium metasilicate LC50, Fish (Brachydanio rerio), 96h, 210 mg/l | |
| PERSISTENCE AND DEGRADABILITY | /: Not available | |
| BIOACCUMULATIVE POTENTIAL: | Not available | |
| MOBILITY IN SOIL: | Not available | |
| OTHER ADVERSE EFFECTS: | Not available | |
| SECTION 13 – DISPOSAL CONSIDERATIONS | | |
| or in | ect in appropriate containers and recycle or dispose the product at a licensed waste disposal site accordance with local regulations. Avoid the spillage or runoff entering drains, sewers or rcourses. | |

HAZARDOUS WASTE CODE: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

CONTAMINATED PACKAGING: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14 – TRANSPORT INFORMATION

SPECIAL PRECAUTIONS FOR USER: Read safety instructions, SDS and emergency procedures before handling.

SECTION 15 – REGULATORY INFORMATION

Ingredients included on inventory of DSL (Canada), REACH, TSCA (USA)

SECTION 16 – OTHER INFORMATION

| PRODUCT NAME: | P-4000 | |
|---------------------------------|----------------------------------|------------------|
| IN CASE OF ACCIDENTAL SPILL: | CANUTEC (Canada): | 1 (613) 996-6666 |
| PREPARED BY: | B.O.D. CHEMICALS INC. | |
| PHONE | (450) 443-5556 | |
| DATE: | November 21 th , 2018 | |

B.O.D. CHEMICALS INC. assume no responsibility for damages or physical injuries resulting in the use of this product. The user recognizes the risk in the use of this product and must consult and respect directions and dangers of this product.