

SECTION 1 - IDENTIFICATION

Product identifier/Trade name: RESISTOL STIPPER SUPER CONCENTRATED

Other means of identification: STXF

Recommended use: Stripper for floor finishes

Restriction on use: For industrial, institutional and food plants use only.

Initial supplier identifier: Chemotec (PM) Inc.
8820 Place Ray-Lawson
Anjou, Quebec, Canada H1J 1Z2
Phone: (514) 729-6321; 1-800-729-6321

Emergency phone number: (613) 996-6666 (CANUTEC)

SECTION 2 - HAZARDS IDENTIFICATION

2a WHMIS 2015 - GHS (Globally Harmonized System) classification

This product is classified as:
Skin Corrosion/Irritation — category 1
Serious eye damage/eye irritation — category 1

2b Label elements



Pictogram
Precautionary statement

Do not breathe mists. Wash hands thoroughly after handling. Wear rubber gloves, protective clothing, eye or face protection.

IF SWALLOWED: Rinse mouth. **DO NOT** induce vomiting. Immediately call a **POISON CENTER** or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a **POISON CENTER** or doctor.

IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a **POISON CENTER** or doctor. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a **POISON CENTER** or doctor.

Absorb spillage to prevent material-damage.

Storage: Store locked up. Keep only in original packaging.

Disposal: Dispose of contents and container in accordance with local, provincial and federal regulations.

Signal word:**Danger**
Hazard statement**Causes severe skin burns and eye damage****SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

Ingredients	CAS #	% (weight)	GHS CLASSIFICATION
Monoethanolamine	141-43-5	15-40	Oral toxicity, category 4; Dermal toxicity, category 4 Inhalation toxicity, category 4 Eye damage/Irritation, category 1 Skin corrosion/Irritation, category 1
Potassium hydroxide	1310-58-3	1-2	Skin Corrosion/Irritation Category 1A; Eye damage/Irritation Category 1 Acute toxicity, oral Category 4.
Benzyl alcohol	100-51-6	3-7	Acute toxicity, oral Category 4. Acute toxicity, inhalation Category 4.

The actual concentrations are withheld as a trade secret.

SECTION 4 - FIRST AID MEASURES**4a Description of first aid measures****Eye contact:**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Skin contact:

Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

Ingestion:

Rinse mouth. DO NOT induce vomiting. Immediately call a POISON CENTER or doctor.

4b Most important symptoms and effects**Eye:** Causes burns, irritation, redness, tears, burning sensation.**Skin:** Causes burns and irritation which could be severe if not rinsed rapidly.**Inhalation:** Causes burns and irritation of respiratory tract.

Ingestion: Causes irritation, burns, headache, abdominal pain, diarrhoea, nausea and vomiting.

4c Immediate medical attention and special treatment needed

Swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. No specific antidote. Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If burn is present, treat as any thermal burn, after decontamination.

SECTION 5 - FIRE FIGHTING MEASURES

5a Extinguishing media

Suitable extinguishing media:

Water (if possible avoid powerful sprays), foam, dry chemicals, carbon dioxide. Product itself is not flammable.

Unsuitable extinguishing media:

None known.

Specific hazards for product

Hazardous combustion products:

Oxides of carbon, nitrogen, ammonia and other irritating gases.

Special protective equipment and precautions for firefighters

Special fire-fighting procedures/equipment:

During a fire, irritating smoke and fumes may be generated. A self-contained breathing apparatus is required for fire-fighting personnel to protect themselves from irritating products produced during the combustion. Move containers from fire area if it can be done without risk. A stream of water directed into the product generates a lot of foam.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6a Personal precautions, protective equipment and emergency procedures

Personal protection:

Avoid contact with eyes and skin. Avoid breathing vapors. Use adequate aeration and ventilation. Wear gloves, waterproof boots, safety glasses and in case of a major spill and if necessary, wear a mask for organic vapors. Floor will be slippery in case of a spill.

6b Methods and materials for containment and cleaning:

Stop the leak. For large spills, pump the product into drums or clean up spills using absorbent material. Resume cleaning by rinsing with water. Caution: floors will be slippery.

6c Environmental precautions:

Do not let large quantities go to the sewers.

SECTION 7 - HANDLING AND STORAGE

7a Precautions for safe handling:

Avoid contact with eyes and skin. Avoid breathing vapours. Wear gloves, safety glasses and non-slippery footwear.

7b Condition for safe storage:

Store in a sealed container in a well-ventilated place. Do not store with food products. Keep from freezing.

7c Special packaging materials: none.

Avoid contact with acids and strong oxidizers.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION
--

8a Control parameters

	Ontario Time-weighted Average Limit (TWA)	Ontario Short-Term Exposure Limit (STEL)	Notations
Monoethanolamine	3 ppm	6 ppm	
Dipropyleneglycol monomethyl ether	100 ppm	150 ppm	Skin
Potassium hydroxide		Ceiling limit 2 mg/m ³	

8b Engineering controls:

Good ventilation.

8c Individual protection measures

Respiratory Protection:

If exposure limits are exceeded, respirator for organic vapours.

Skin protection and other protective equipment:

Waterproof non-slippery boots. Rubber gloves.

Eye / face protection:

Safety glasses

General hygiene considerations:

KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes and skin. Avoid breathing vapours. Never eat, drink, or smoke in work areas. Good hygiene is recommended after use of this product.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance and odour:

Yellow liquid, lemon and solvent odor

Odour threshold:

Not available

pH :

Approximately 13

Melting point and freezing point:

Approximately 0 °C

Boiling point:

Approximately 100 °C

Flash point:

Greater than 93°C.

Evaporation rate (n-BuAc =1):

Not available

Lower flammable limit (% by volume):

Not available

Upper flammable limit (% by volume):

Not available.

Explosion data - Sensitivity to mechanical impact:

Not sensitive

Explosion data - Sensitivity to static discharge:

Not sensitive

Vapour pressure (mm Hg)

Not available

Vapour density:

Not available

Specific gravity or density (water = 1 at 4 °C):

1.03 g/cm³@ 20 °C

Solubility in water:

Miscible

Partition coefficient – n-octanol/water:

Not available

Auto-ignition temperature:

Not available

Decomposition temperature

Not available

Viscosity:

<100 cps @ 25 °C

SECTION 10 - STABILITY AND REACTIVITY
--

10a Reactivity:

Not applicable when used as directed.

10b Chemical stability :

Stable at room temperature, in normal handling and storage conditions.

10c Possibility of hazardous reactions:

No polymerisation

10d Conditions to avoid:

Product may decompose at high temperatures.

10e Incompatible materials

Acids, strong oxidizers.

10f Hazardous decomposition products:

With oxidizers: oxides of carbon and nitrogen; with acids: heat, water vapour.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute toxicity

Eye: Causes burns, irritation, redness, tears, burning sensation.

Skin: Causes burns, irritation which could be severe if not rinsed rapidly.

Inhalation: Causes burns, irritation of respiratory tract.

Ingestion: Causes burns, irritation, headache, abdominal pain, diarrhoea, nausea and vomiting.

Carcinogenicity:

No ingredient listed by IARC as a possible carcinogen.

Teratogenicity, mutagenicity, other reproductive effects:

Not available

Skin sensitization:

Ingredients not sensitizing

Respiratory tract sensitization:

Not available

Synergistic materials:

Not available

Other important hazards:

Not available

Toxicological data: The calculated LD₅₀ for this product is greater than 3,000 mg/Kg, oral, rat; our products are not tested on animals.

Ingredient	LD ₅₀ (route, species)	LC ₅₀ # hours (species)
Monoethanolamine	1,089 mg/Kg (oral, rat) 2504 mg/Kg (dermal, rat)	Estimate LC ₅₀ , 4H vapor, rat >1.48 mg/L
Benzyl alcohol	1,612 mg/kg (oral, rat)	Not available
Potassium hydroxide	333 mg/kg (oral, rat)	Not available

For more details, refer to Section 3.

SECTION 12 - ECOLOGICAL INFORMATION
--

12a Ecotoxicity :

TOXICITY (Fish)	Results	Exposure time	Method
Monoethanolamine	Cyprinus carpio (carpe) LC50 349 mg/L	96H	Not available
Benzyl alcohol	460 mg/L	96H	Not available
Potassium hydroxide	Gambusia affinis 80 mg/L	96H	Not available

TOXICITY (Daphnia)	Results	Exposure time	Method
Monoethanolamine	EC50 = 120 mg/L	24H	Not available
Benzyl alcohol	EC50 = 230 mg/L	48H	Not available

Potassium hydroxide	Not available		
---------------------	---------------	--	--

TOXICITY (Alga)	Results	Exposure time	Method
Monoethanolamine	Selenastrum capricornutum 2.8 mg/l	72H	Not available
Benzyl alcohol	EC50 500-770 mg/L	72H	Not available
Potassium hydroxide	Not available		

12b Persistence and degradability: Product is readily biodegradable

12c Bioaccumulation potential: Not available

12d Mobility in soil: There is no test data on this product.

12e Other adverse effect No applicable information found

SECTION 13 - DISPOSAL CONSIDERATIONS

Eliminate according to federal, provincial and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

Transportation of Dangerous Goods (TDG) in Canada :

UN number	UN3267
Proper shipping name:	CORROSIVE LIQUID BASIC, ORGANIC, N.O.S.(Ethanolamine)
Class:	8
Identification number:	UN3267
Packing group:	III
Special case:	Not applicable
In 4 liters, exempted as a limited quantity	

SECTION 15 - REGULATORY INFORMATION

In Canada

WHMIS information:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and this safety data sheet (SDS) contains all the information required by the HPR.

WHMIS Classification: See section 2a

CEPA information: Ingredients are listed on the DSL inventory.

SECTION 16 - OTHER INFORMATION

Date of latest revision 2018-04-05

References:

1. Manufacturer'/suppliers' MSDS.
2. Occupational Exposure Limits for Ontario Workplaces required under Regulation 833
3. International Agency for Research on Cancer Monographs
4. The European Chemicals Agency (ECHA) website.

Abbreviations:

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstract Service
CEPA	Canadian Environmental Protection Act
cps	Centipoises
DSL	Domestic Substance List
HMIS	Hazardous Material Information System
IARC	International Agency for Research on Cancer
LC	Lethal concentration
LD	Lethal Dosage
N/Av	Not available
N/Ap	Not Applicable
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
TLV	Threshold Limit Value
WHMIS	Workplace Hazardous Materials Information System

End of the MSDS