

148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



SAFETY DATA SHEET

Section 1: Product Identification

Product Name Identified Uses Supplier's Details

Phone Number Available Packaging Emergency Contact (24 Hrs) Landscaper's Choice[®] Ice Melter Melt Snow and Ice Kissner Milling Company Limited 148 Manitou Drive, Suite 301 Kitchener, Ontario, Canada N2C 1L3 (519) 279-4860 50Ib bag, 50Ib box, 40Ib pail, 50Ib pail, 2000Ib sac, 440Ib drum (613) 996-6666 CANUTEC

Section 2: Hazard Identification

Classification (GHS)	Not Classified
GHS Labelling	No Labelling applicable
Percentage	Not applicable
Other Hazards	Exposure may aggravate those with pre-existing eye, sk

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged contact.

Section 3: Composition/Information On Ingredients

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	85.0-99.9%	7647-14-5	Not Classified
Magnesium Chloride	0.01-5.0%	7786-30-3	Not Classified
Calcium Magnesium Acetate (CMA)	0.01-5.0%	76123-46-1	Acute Tox. 4 (Inhalation:dust,mist), H332; Eye Irrit. 2B, H320
Potassium Chloride	0.01-5.0%	7447-40-7	Aquatic Acute 3, H402
Product may contain color indicator			

Section 4: First-Aid Measures

Description of First Aid Measures

General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.
Inhalation	When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
Skin Contact	Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at least
	15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if
	present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Most Important Symptoms and Effects Both Acute and Delayed

General	Dust may cause mechanical irritation to eyes, nose, throat, and lungs
Inhalation	Prolonged contact with large amounts of dust may cause mechanical irritation.
Skin Contact	Skin contact with large amounts of dust may cause mechanical irritation.
Eye Contact	Contact may cause irritation due to mechanical abrasion
Ingestion	Ingestion is not likely to be harmful or have adverse effects
Other	Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and lungs.
Chronic Symptoms	Not available

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media:	Use extinguishing media appropriate for surrounding fire.
Unsuitable Extinguishing Media:	Do not use a heavy water stream. Use of heavy stream of water may spread fire.
Fire Hazard:	Not considered flammable but may burn at high temperatures.
Explosion Hazard:	Product is not explosive.
Reactivity:	When heated to decomposition, emits toxic fumes. Toxic Gas.
Hazardous Combustion Products:	Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine.
Other Information:	Do not allow run-off from firefighting to enter drains or water courses.

Section 6: Accidental Release Measures

Personal Precautions Protective Equipment:	Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing. Use appropriate personal protection equipment (PPE).
Environmental Precautions	Prevent entry to sewers and public waters. Avoid release to the environment.
Methods for Cleaning Up	Clear up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

Section 7: Handling And Storage

Precautions for Safe Handling

	When heated to decomposition, emits toxic fumes. Contact with water causes an
Additional Hazards	exothermic heat reaction, which may cause significant temperature rise. Corrosive to
When Processed	metals upon prolonged contact. May release hydrogen gas on prolonged contact with
	certain metals.
	Handle in accordance with good industrial hygiene and safety procedures. Wash hands and
Hygiene Measures	other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.
Conditions for Safa Stor	age including Any incompatibilities

Conditions for Safe Storage, Including Any Incompatibilities



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Technical Measures Storage Conditions Incompatible Materials	Comply with applicable regulations Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition sources, and incompatible materials. Strong acids. Strong bases. Strong oxidizers.	
Section 8: Exposure Controls/Personal Protection		
Control Parameters Appropriate Engineering Controls	No Occupational Exposure Limits (OELs) have been established for this product or its chemical components. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas	
Personal Protective Equipment	Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection. Gloves.	
Materials for Protective Clothing: Hand Protection:	Chemically resistant materials and fabrics. Wear chemically resistant protective gloves.	

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection:

Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations are expected to exceed exposure limits.

Section 9: Physical And Chemical Properties

Appearance/ Physical State Vapour Pressure (mm Hg at 20°C) Vapour Density (Air = 1.0) **Bulk Density** Solubility in Water Specific Gravity (gm/cc, Water = 1.0) % Volatile by Volume **Boiling Range (Deg. Celsius) Melting Point Coefficient of Water/Oil Distribution** рΗ

Green coloured granules. Solid Not applicable Not applicable Not applicable Water Soluble Not applicable Non-volatile Not available Not available Not applicable 10 (1% solution @ 20°C)

Section 10: Stability And Reactivity

Chemical Stability:

Stable under normal conditions.

Page 3



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Reactivity: Possibility of Hazardous Reactions: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products: When heated to decomposition, emits toxic fumes. Toxic Gas. No dangerous reaction known under conditions of normal use. Direct sunlight. Extremely high or low temperatures. Incompatible materials. Strong acids. Strong bases. Strong oxidizers. Reactive metals.

Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of magnesium.

Section 11: Toxicological Information

Acute Toxicity:	Not classified
LD50 and LC50 Data:	Not available
Skin Corrosion/Irritation:	Not classified
Serious Eye Damage/Irritation:	Not classified
Respiratory or Skin Sensitization:	Not classified
Germ Cell Mutagenicity:	Not classified
Teratogenicity:	Not available
Carcinogenicity:	Not classified
Specific Target Organ Toxicity (Repeated Exposure):	Not classified
Reproductive Toxicity:	Not classified
Specific Target Organ Toxicity (Single Exposure):	Not classified
Aspiration Hazard:	Not classified
Information on Toxicological Effects - Ingredient(s)	

Sodium chloride (7647-14-5)	LD50 Oral Rat	3 g/kg
Sodium chionae (7647-14-5)	LC50 Inhalation Rat	> 42 g/m ³ (Exposure time: 1 h)
Calcium Magnesium Acetate (76123-46-1)	LC50 Inhalation Rat	> 4600 mg/m ³ (Exposure time: 4 h)
Potassium Chloride (7447-40-7)	LD50 Oral Rat	2600 mg/kg

Section 12: Ecological Information

Toxicity	No additional information available
Sodium chloride (7647-14-5)	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow- through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Potassium Chloride (7447-40-7)	
LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [stactic])
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	750-1020 mg/l (Exposure time: 96 h - Species: Pimephales Promelas [stactic])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [stactic])
Persistence and degradability	Not available



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Bio accumulative potential Sodium chloride (7647-14-5) BCF Fish 1 (no bioaccumulation) **Mobility in Soil** Not available **Other Information** Avoid release to the environment **Section 13: Disposal Considerations** Waste Disposal Dispose of waste material in accordance with all local, regional, national, provincial, Recommendations territorial and international regulations. **Section 14: Transport Information** In Accordance with DOT Not regulated for transport In Accordance with IMDG Not regulated for transport In Accordance with IATA Not regulated for transport In Accordance with TDG Not regulated for transport **Section 15: Regulatory Information US Federal Regulations** Sodium chloride (7647-14-5) Listed on the United States TSCA (Toxic Substances Control Act) inventory Potassium Chloride (7447-40-7) Listed on the United States TSCA (Toxic Substances Control Act) inventory

Canadian Regulations

Landscaper's Choice [®] Ice Melter	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Sodium chloride (7647-14-5)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Calcium Magnesium Acetate (76123-46-1)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Magnesium Chloride (7786-30-3)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Potassium Chloride (7447-40-7)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Section 16: Other Information

Other Information:

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Effective Date: Version

January 27, 2021 2

Contact

sds@kissner.com

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability and completeness and pass on the information to its employees or customers. Kissner Group does not accept responsibility for any loss or damage, which may occur from the use of this information.