SAFETY DATA SHEET

1. Product and Company Identification

COMBAT Product identifier Other means of identification Not available

Recommended use Oven, Griddle & Fryer Cleaner

Recommended restrictions None known. Manufacturer **PHARAO** J7V 5V6

Emergency Phone (CANUTEC 24 H, Emergency only): (613) 996-6666

2. Hazards Identification

GHS classification in accordance with: (CAN) WHMIS 2015

Physical hazards Corrosive to metals Category 1 Health hazards Eye damage/irritation Category 1 Skin corrosion/irritation Category 1

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement May be corrosive to metals

Causes severe skin burns and eye damage

Causes serious eye damage

Precautionary statement

Prevention

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Wear

protective gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material

Keep only in original container. Store locked up. Store in a corrosive resistant container or a Storage

container with resistant inner liner.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None

3. Composition/Information on Ingredients

Mixture

% **Chemical name** Common name and synonyms **CAS** number Sodium Hydroxide 1310-73-2 3 - 7Ester phosphate ethoxylated alcohol 68585-36-4 1 - 5

	4. First Aid Measures			
Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor/.			
Skin contact	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show Wash contaminated clothing before reuse. Specific treatment (see product label). Immediately capoison center/doctor/.			
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present easy to do. Continue rinsing. Immediately call a poison center/doctor.			
Ingestion	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/do			
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and chemical splash goggles. Keep out of reach of children.			
Indication of immediate medical attention and special treatment needed				
General information				
	5. Fire Fighting Measures			
Suitable extinguishing media	Treat for surrounding material.			
Unsuitable extinguishing media	Use appropriate extinguisher, as surrounding material.			
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.			
Special protective equipment and precautions for	Firefighters should wear full protective clothing including self contained breathing apparatus.			
firefighters Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.			
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.			
Hazardous combustion products	May include and are not limited to: Carbon oxide, nitrogen oxide			
Explosion data Sensitivity to mechanical impact	Not available.			
Sensitivity to static discharge	Not available.			
	6. Accidental Release Measures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.			
Methods and materials for containment and cleaning up	Should not be released into the environment.			
	Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water			
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.			
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS Prevent entry into waterways, sewers, basements or confined areas.			
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.			
	7. Handling and Storage			
Precautions for safe handling	Use only with adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Avoid breathing vapors or mists of this product. DO NOT get in eyes, on skin or clothing.			

Conditions for safe storage, including any incompatibilities

Store locked up. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls/Personal Protection

Occupational exposure limits

Components Value

Sodium hydroxide Ceiling: 2 mg/m³ ACGIH TLV

Phosphoric acid $STEL: 3 \text{ mg/m}^3$ $TWA: 1 \text{ mg/m}^3$

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Skin protection

Chemical splash goggles.

Hand protection

Respiratory protection

Chemical resistant gloves. Confirm with a reputable supplier first.

Other

Wear appropriate chemical resistant clothing. As required by employer code. Where exposure

guideline levels may be exceeded, use an approved NIOSH respirator.

Not applicable.

Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling

the product.

9. Physical and Chemical Properties

Appearance Clear
Physical state Liquid.
Form Liquid

Color No color to light yellow

Odor No odor
Odor threshold Not available.

pH > 13

Melting point/freezing point Not available
Initial boiling point and boiling Not available

range

Pour pointNot availablePartition coefficientNot available

(n-octanol/water)

Flash point > 94 °C

Evaporation rate Not available

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available

Flammability limit - upper

(%)

Not available

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available Vapor density Not available Relative density 1.07 - 1.08Solubility(ies)

Auto-ignition temperature Not available **Decomposition temperature** Not available. **Viscosity** Not available.

10. Stability and Reactivity

Strong acids. This product react with metals Reactivity

Complete

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Conditions to avoid

Stable under recommended storage conditions.

Incompatible materials

Hazardous decomposition

products

Acids.

May include and are not limited to: Sodium oxides

11. Toxicological Information

Reacts with strong acids. This product may react with metals.

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion Causes digestive tract burns.

Prolonged inhalation may be harmful. Inhalation

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and

toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

Sodium hydroxide

Acute

Oral LD 50 Rat 140 - 340 mg/kg Dermal LD50 Rabbit 1350 mg/kg

Ester phosphate ethoxylated alcohol

> 2500 mg/kg Dermal LD50 Rabbit

Skin corrosion/irritation Causes severe skin burns and eye damage.

Exposure minutes Not available. Erythema value Not available. Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Iris lesion value Not available. Conjunctival reddening Not available.

value

Conjunctival oedema value Not available. Recover days Not available. Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNon-hazardous by WHMIS/OSHA criteria. **Mutagenicity**Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity None

Reproductive toxicityNon-hazardous by WHMIS/OSHA criteria. **Teratogenicity**Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

Further information Not available.

Name of Toxicologically Not available.

Synergistic Products

12. Ecological Information

Ecotoxicity

ComponentsSpeciesTest ResultsSodium hydroxideFish (Onchorhynchus Mykiss) LC50 (96 hours)45.4 mg/lEster phosphate ethoxylated alcoholLC50 Fish189 ppm 96 hEC50 Algae (Daphnia)94 ppm 78 hLC50 Crustacea111 ppm 48 h

Persistence and degradability
Bioaccumulative potential
Mobility in soil

No data available No data available No data available

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from

this component.

13. Disposal Consideration

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Hazardous waste code

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

General Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the

Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of the product will expect below.

product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard class 8
Packing group || |



Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard class 8
Packing group II



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

WHMIS status Controlled


WHMIS classification

WHMIS labeling


Class E - Corrosive Material



16. Other Information







Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date February 23, 2018
Effective date February 23, 2018

Version 1.0

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Prepared by Unica Canada inc. Phone Number: (450) 655-8168

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).