

PRODUCT: LEMON-ONE CODE: BSCLEMON-1

SECTION 01: IDENTIFICATION

Product Identifier: Lemon-One Other means of Identification: LEMON-ONE

Chemical Family: Blend

Manufacturer Identifier: Les Investissements B.S.C. Inc. (B.S.C. Inc.)

109 Iber Road, Unit #3, Ottawa, ON

K2S 0X5 613-831-7343

any restrictions on the use of that number: transport emergency, contact CANUTEC at

613-996-6666

SECTION 02: HAZARD IDENTIFICATION





Signal Word: DANGER.

Hazard Classification: Flammable Liquids - Category 3.

Skin Irritation - Category 2. Serious Eye Damage - Category 1

Hazard Statements:: H226 Flammable liquid and vapour. H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary Statements

Prevention: P210 Keep away from all sources of heat, sparks, open flames,

hot surfaces. No smoking.

P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof equipment. P242 Use only non-sparking

tools. P243

Take precautionary measures against static discharge. P264 Wash thoroughly after handling. P280 Wear

protective gloves/protective clothing/eye

protection/face protection.



PRODUCT: LEMON-ONE CODE: BSCLEMON-1

SECTION 02: HAZARD IDENTIFICATION

Response: P370+P378 In case of fire - use dry chemical powder, CO2 or

foam to extinguish.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P302+P352 IF ON SKIN: Wash with plenty of water. P362+P364 Take off contaminated clothing and wash before reuse. P332+P313 If skin

irritation occurs: Get medical attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a Poison Control Centre.

Storage: P403+P235 Store in well ventilated place. Keep cool.

Disposal: P501 Dispose of contents and empty containers in accordance

with local regulations.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS#	WT.%
Isopropyl Alcohol	67-63-0	3 -7
Alcohols, C9-11, ethoxylated	68439-46-3	1 -5
Benzenemethanaminium, N-dodecyl-N, N-dimethyl-, chloride	139-07-1	0.5 – 1.5

<< The actual concentration(s) are withheld as a trade secret>>

SECTION 04: FIRST-AID MEASURES

FIRST AID MEASURES:

drink one glass of water. Seek medical attention. Do not give

anything to victim if unconscious or convulsing.

respiration. If breathing is difficult, give oxygen. Get medical

attention.



PRODUCT: LEMON-ONE CODE: BSCLEMON-1

SECTION 04: FIRST-AID MEASURES

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use

recognized skin cleanser. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention

immediately.

Eye Contact: Get IMMEDIATE medical attention. Immediately flush eyes

> with plenty of water, lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse until

emergency medical services have arrived.

serious burns. Causes skin irritation. May causes respirator tract irritation. Can cause headache, dizziness, nausea, drowsiness,

unconsciousness. Harmful if swallowed.

Medical attention and special treatment:..... Treat symptomatically. In the event of an incident involving this

product ensure that medical authorities are provided a copy of

this safety data sheet.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing media: Carbon dioxide, dry chemical, alcohol foam. Do not use a solid

Specific hazards arising from the hazardous product, such as the nature of any

for fire-fighters

water stream as it may scatter and spread fire.

Special protective equipment and precautions: ... Use self-contained breathing apparatus and full firefighting gear. Decomposition and combustion products may be toxic. Cool fire exposed containers with cold water spray. Heat will cause pressure build up and may cause explosive rupture. Water for maybe used to know down vapours. Move containers from fire are if safe to do so.

SECTION 06: ACCIDENTAL RELEASE MEASURES

equipment and emergency procedures

without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).



PRODUCT: LEMON-ONE **CODE: BSCLEMON-1**

SECTION 06: ACCIDENTAL RELEASE MEASURES

and cleaning up

Methods and materials for containment......Ventilate area. Stop the flow of material, if this is possible without risk. Dike the spilled material, where this is possible. Use an inert substance to contain and absorb spilled material. Shovel to properly identified salvage drum. Seal salvage drum for disposal.

SECTION 07: HANDLING AND STORAGE

Read the information on the label and the safety data sheet before handling this product. Keep away from heat, hot surfaces, sparks, open flames. Ground and bond container and receiving equipment. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in wellventilated areas. Handle and open container with care. Launder contaminated clothing before reuse. When using, do not eat or drink. Wash hands before eating, drinking, or smoking. Keep container closed when not in use. Keep away from food. Employees should wash their hands and face before eating or drinking.

incompatibilities

Conditions for safe storage, including anyKeep container tightly closed in a well ventilated area. Peroxides can form if this product is stored in contact with air. Store away from direct sunlight. Store away from incompatible materials. Vapours are heavier than air and can accumulate in low areas. Do not store above 40°C. Keep from freezing.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INCREDIENTS	ACGIH	[TLV	OSHA	A PEL	NIOSH REL
INGREDIENTS	TWA	STEL	PEL	STEL	
Isopropyl Alcohol	200 ppm	400 ppm	400 ppm (980	500 ppm	400 ppm (980
	400 ppm		mg/m3)	(1225 mg/m3)	mg/m3)
Alcohols, C9-11,	Not	Not	Not	Not	Not
ethoxylated	established	established	established	established	established
Benzenemethanaminium,	Not	Not	Not	Not	Not
N-dodecyl-N, N-	established	established	established	established	established
dimethyl-, chloride					



PRODUCT: LEMON-ONE CODE: BSCLEMON-1

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

Individual protection measures, such as Personal protective equipment

Eye/Type: If potential for contact with liquid or vapor exists, use splash-

proof safety goggles and a face shield or other approved eye

protection.

protection equipment depends on the nature of the work to be performed. Recommended: Neoprene, Nitrile, PVA. Contact

glove supplier for additional information.

Footwear/Type: Wear safety boots per local regulations.

Clothing/Type: Wear adequate protective clothing to prevent skin contact.

exposure limit exceeded.

practice. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Emergency eye wash station and shower should be available. Anyone handling this product should wash their hands and face before eating, drinking

or using tobacco products.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance / physical state:	Liquid
Colour:	Yellow
Odour	Lemon
Odour Threshold (ppm)	Not applicable
pH:	6.0
Melting/Freezing Point	Approximately 0°C / 32°F
Initial Boiling Point / Boiling Range	Approximately 100°C / 212°F
Flash Point (deg C), Method	47.1 C
Evaporation Rate	Not applicable
Flammability (solid/gas)	Not applicable
Upper Flammable Limit (% Vol.)	No data
Lower Flammable Limit (% Vol.)	No data
Vapour Pressure (mm Hg)	Not applicable
Vapor Density (Air=1)	Not applicable



PRODUCT: LEMON-ONE CODE: BSCLEMON-1

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Relative Density / Specific Gravity	~ 0.987
Solubility	Soluble
Coefficient of Water/Oil Distribution	Not applicable
Auto Ignition Temperature (deg C)	Not applicable
Decomposition Temperature	Not applicable
Viscosity	Not applicable

SECTION 10: STABILITY AND REACTIVITY

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Isopropyl Alcohol	51.045 mg/L 8 hr rat	
		12870 mg/kg (dermal, rabbit)
Alcohols, C9-11, ethoxylated	No Data	>2000 mg/kg (oral, rat)
		3000 mg/kg (dermal, rat)
Benzenemethanaminium, N-dodecyl-N, N-	Not Available	400 mg/kg (oral, rat)
dimethyl-, chloride		

Symptoms related to the physical chemical and toxicological characteristic

Effects of Acute Exposure	May cause;. Severe skin and eye irritation or burns. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and
	wheezing.
Effects of Chronic Exposure	No specific data available. Repeated contact may cause dry skin.
Carcinogenicity of Material	. Isopropyl Alcohol: IARC-3
Mutagenicity	. No known mutagenicity effects



PRODUCT: LEMON-ONE CODE: BSCLEMON-1

SECTION 1	1: TOXICOLOGICAL INFORMATION
Reproductive Effects	•
Specific Target Organ Toxicity-single exposure	
	This information, if applicable, can be found in Section 2.
SECTION	N 12: ECOLOGICAL INFORMATION
Ecotoxicity	
Persistence and degradability	Product data not available.
Bioaccumulation Potential	Product data not available.
Mobility in soil	Product data not available.
Other adverse effects	Product data not available.
SECTIO	N 13: DISPOSAL CONSIDERATION
Information on safe handling for disposal contaminated packaging.	
contaminated packaging.	l Dispose of waste in accordance with all and methods of disposal, including any applicable Federal, Provincial/State and local
SECTIO TDG Classification	 Dispose of waste in accordance with all and methods of disposal, including any applicable Federal, Provincial/State and local regulations. N 14: TRANSPORT INFORMATION
TDG Classification	 Dispose of waste in accordance with all and methods of disposal including any applicable Federal, Provincial/State and local regulations. N 14: TRANSPORT INFORMATION
SECTIO TDG Classification	 l Dispose of waste in accordance with all and methods of disposal including any applicable Federal, Provincial/State and local regulations. N 14: TRANSPORT INFORMATION Not Regulated Code ons No data available
TDG Classification	 l Dispose of waste in accordance with all and methods of disposal including any applicable Federal, Provincial/State and local regulations. N 14: TRANSPORT INFORMATION Not Regulated Code ons No data available No data available No data available
TDG Classification	 l Dispose of waste in accordance with all and methods of disposal including any applicable Federal, Provincial/State and local regulations. N 14: TRANSPORT INFORMATION Not Regulated Code ons No data available No data available No data available In accordance with Part 2.2.1 of the Transportation of Dangerous
SECTIO TDG Classification	 l Dispose of waste in accordance with all and methods of disposal, including any applicable Federal, Provincial/State and local regulations. N 14: TRANSPORT INFORMATION Not Regulated Code ons No data available No data available In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) – we certify that classification
SECTION SECTION	 Dispose of waste in accordance with all and methods of disposal including any applicable Federal, Provincial/State and local regulations. N 14: TRANSPORT INFORMATION



PRODUCT: LEMON-ONE CODE: BSCLEMON-1

SECTION 16: OTHER INFORMATION

Prepared by Les Investissements B.S.C. Inc.

Disclaimer Information for this safety data sheet was obtained from sources

considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages which may result from the use or reliance on any information contained in this form. Determining the suitability of the product for any intended

use shall be solely the responsibility of the user.

Date of latest version of the safety data sheet January 16, 2023