SAFETY DATA SHEET

1. Product and Company Identification

Product identifier KLING-UP
Other means of identification Not available

Recommended use Acidic Cleaner and disinfectant (WHMIS EXEMPT)

Recommended restrictions

Manufacturer

None known. PHARAO J7V 5V6

Emergency Phone (CANUTEC 24 H, Emergency only): (613) 996-6666

2. Hazards Identification

Specific target organ toxicity, single exposure Category 3

GHS classification in accordance with (CAN) WHMIS 2015

Physical HazardsCorrosive to metalsCategory 1Health hazardsEye damage/irritationCatégory 1Skin corrosion/irritationCategory 1B

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word

Danger

Hazard statement May be corrosive to metals

Causes severe skin burns and eye damage

Causes serious eye damage.

May cause respiratory irritation

May cause drowsiness or dizziness

Precautionary statement

Prevention

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing

dust/fumes/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: RINSE mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER/doctor. call a POISON

CENTER/doctor if you feel unwell.

Specific treatment (see this label). Wash contaminated clothing before reuse. Store in a well ventilated place. Keep container tightly closed. Absorb spillage to prevent material damage.

Storage Keep only in original container. Store locked up. Store in a corrosive resistant container or a

container with resistant inner liner.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/Information on Ingredients

MixtureChemical nameCommon name and synonymsCAS number%Hydrochloric acid7647-01-07 - 13

4. First Aid Measures

Inhalation If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a

poison center/doctor/.

Skin contact If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. Specific treatment (see product label). Immediately call a

poison center/doctor/.

If in eves: Rinse cautiously with water for several minutes, Remove contact lenses, if present and Eye contact

easy to do. Continue rinsing. Immediately call a poison center/doctor.

Ingestion

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information** If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor/. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and chemical splash goggles. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for

firefighters Fire-fighting equipment/instructions

Specific methods Hazardous combustion

products

Explosion data

Sensitivity to mechanical impact

Sensitivity to static discharge

Treat for surrounding material.

Not available.

Use appropriate extinguisher, as surrounding material.

Firefighters should wear a self-contained breathing apparatus.

Firefighters should wear full protective clothing including self contained breathing apparatus.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

May include and are not limited to: Hydrochloric acid, acid vapours.

Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Should not be released into the environment.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewers, basements or confined areas.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Use only with adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Avoid breathing vapors or mists of this product. DO NOT get in eyes, on skin or clothing.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls/Personal Protection

Occupational exposure limits

ComponentsValueHydrochloric acidCeiling : 5 ppm OSHA Final PEL

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical splash goggles.

Skin protection

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Other

Wear appropriate chemical resistant clothing. As required by employer code. Where exposure

Respiratory protection guideline levels may be exceeded, use an approved NIOSH respirator.

Not applicable.

Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling

the product.

9. Physical and Chemical Properties

AppearanceClearPhysical stateViscousFormLiquidColorBlue

Odor Wintergreen odor
Odor threshold Not available.

pH 1.0 Melting point/freezing point < 0 °C

Initial boiling point and boiling

range

Not available

Pour pointNot available.Partition coefficientNot available

(n-octanol/water)

Flash point > 95 °C
Evaporation rate Not available

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper Not available

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available Vapor density Not available Relative density 1.05 - 1.07Complete Solubility(ies) **Auto-ignition temperature** Not available Not available. **Decomposition temperature**

10. Stability and Reactivity

Strong Alkaline products. This product may react with oxidizing agents. Reactivity

Possibility of hazardous

reactions

Viscosity

Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Reacts violently with strong bases. This product may react with oxidizing agents.

Not available.

Not available

Incompatible materials

Hazardous decomposition

products

Oxidizing agents. Alkalines products

May include and are not limited to: Hydrofluoric acid, carbon oxide, acid vapours.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Causes digestive tract burns. Ingestion

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and

toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

Hydrochloric acid

Acute

Dermal LD50 Rabbit 5010 mg/kg

Inhalation LC50 3124 ppm (1 Heure) Rat

Skin corrosion/irritation Causes severe skin burns and eye damage.

Exposure minutes Not available. Erythema value Not available. Oedema value Not available

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity value Not available. Iris lesion value Not available.

Conjunctival reddening

value

Not available.

Conjunctival oedema value Not available. Recover days Not available. Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNon-hazardous by WHMIS/OSHA criteria. **Mutagenicity**Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity None

Reproductive toxicityNon-hazardous by WHMIS/OSHA criteria. **Teratogenicity**Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

Further information Not available.

Name of Toxicologically Not available.

Synergistic Products

12. Ecological Information

Ecotoxicity Because of the very low pH of this product, it would be expected to produce significant ecotoxicity

upon exposure to aquatic organisms and aquatic systems. See below

ComponentsSpeciesTest ResultsHydrochloric acidFish (96 heures)Acute LC50 : 282 mg/l

Persistence and degradability

Bioaccumulative potential

Mobility in soil

No data available

No data available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential) are expected from

this component.

13. Disposal Considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

General Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the

Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of the

product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)

Hazard class 8
Packing group II

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)

Hazard class 8
Packing group II



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

WHMIS status Co

WHMIS classification

WHMIS labeling




Controlled

Class E - Corrosive Material

16. Other Information







Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date24-Janvier-2018Effective date24-Janvier-2018

Version 1.0

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Prepared by Unica Canada inc. Phone Number: (450) 655-8168

Other information This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication

Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).