



Think ahead.

Tork PeakServe Continuous Hand Towel

105066



Description

Provide a pleasant restroom visit for your guests with the Advanced Tork PeakServe Continuous Hand Towel. This highly absorbent refill provides quick and effective hand drying with a nice leaf décor embossing for improved user experience. Tork PeakServe is the latest innovation designed for high and peak-traffic washrooms where staff need to maximize cleaning time and ensure an efficient flow of people through the restroom. This refill is compatible with the Tork PeakServe family of dispensers and adapters, delivering very high capacity with up to 2,100 towels. Taking a towel is always smooth and easy with our innovative continuous hand towel system. The compressed refills are fast and easy to fill, can be topped up at any time and are easy to store and transport, enabling staff to focus on cleaning.

- QuickDry™ – our strongest, most absorbent paper, for more efficient drying with less waste
- Compressed hand towels for increased capacity, reducing maintenance time required
- Continuous hand towels dispense smoothly, even between bundles, for a better restroom flow with no hold ups for guests
- One-at-a-time dispensing for reduced consumption and increased hygiene
- Attractive Tork Leaf décor: designed to make a great impression
- Multipurpose
- 100 % Recycled

Product Certifications



Product Details

Print	No
Unfolded Width	3.11 in
Folded width	3.11 in
Embossing	Yes
Folded length	1.26 in
Ply	1
Unfolded length	3.5 in
System	H5
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286661081	10073286661088	7322541351049
Packaging Material	Banderole	Poly	-
Pieces	270	3240 (12 CON)	388800 (120 TRP)
Height	8.86 in	7.91 in	79.13 in
Length	3.94 in	15.75 in	47.24 in
Width	3.31 in	9.8 in	39.21 in
Gross Weight		13.29 lb	1,594.21 lb
Net Weight		13.17 lb	1,579.83 lb
Volume	0.07 ft	0.71 ft	84.83 ft
Layers Per Pallet	-	-	10
TRP Per Layer	-	-	12

Compatible Products



DISP H5 ELEV PKSRV WHT 1/CS
552520



DISP H5 PKSRV REC ADAPTER SM 1/CS
552521



DISP H5 PKSRV REC ADAPTER LG 1/CS
552522



DISP H5 ELEV PKSRV BLK 1/CS
552528

Environmental Information

Content	<p>The product is made from</p> <p>Virgin pulp</p> <p>The packaging material is made from paper or plastic.</p>
Material	<p>Virgin fibers</p> <p>There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.</p> <p>Virgin pulp fibers are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibers are separated out and lignin and other residuals are removed.</p> <p>Bleaching is a cleaning process of the fibers and the aim is to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.</p>
Chemicals	<p>All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.</p> <p>To control product performance we use additives:</p> <ul style="list-style-type: none">• Wet strength agents (for Wipers and Hand Towels)• Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)• For colored papers dyes and fixatives (to secure perfect fastness of the color) are added• For printing products printing inks (pigments with carriers and fixatives) are applied• For multi ply products we often use water soluble glue to secure the integrity of the product <p>In most of our mills we do not add optical brighteners.</p> <p>We do not use softeners for professional hygiene products.</p> <p>High product quality is secured through quality and hygiene management systems throughout production, storage and transport.</p> <p>In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:</p>

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 28-12-2020 Revision date: 17-06-2025
Production	This product is produced at Harrodsburg - US mill.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity Canada Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA