

Discover the new Victoria Bay industrial products, delivering best-value for your packaging applications and shipping needs. The Victoria Bay line of industrial products includes, stretch film, carton sealing tapes and adhesives.

Machine Film

Performa

High-quality all-purpose stretch film designed for various stretch wrapping uses, perfect for load containment for everyday shipping needs.



Item	Cling	MFG Process	Gauge	Width (IN)	Length (FT)	Roll WT (LB)/Roll	RL/SK
204234	2 sided	Cast	50	19.7	9000	35.4	40
204235	2 sided	Cast	55	19.7	8000	34.6	40
204229	2 sided	Cast	60	19.7	8000	37.8	40
204230	2 sided	Cast	70	19.7	6000	33.1	40
204231	2 sided	Cast	80	19.7	6000	37.8	40
204233	2 sided	Cast	90	19.7	5000	35.0	40
204237	2 sided	Cast	50	29.5	9000	53.1	20
204236	2 sided	Cast	60	29.5	8000	56.7	20
204232	2 sided	Cast	80	29.5	6000	56.7	20

Performa Plus

High performance quiet unwind stretch machine film that runs on a wide variety of equipment types. Excellent load containment force and good clarity for barcode scanning.



Item	Cling	MFG Process	Gauge	Width (IN)	Length (FT)	Roll WT (LB)/Roll	RL/SK
204289	1 sided	Cast	50	20	9000	36.0	40
204290	1 sided	Cast	60	20	8000	38.4	40
204292	1 sided	Cast	80	30	6000	57.7	20


Prima

Exceptional one-sided high-performance film, perfect for high-speed automatic machines, great for almost all applications.



Item	Cling	MFG Process	Gauge	Width (IN)	Length (FT)	Roll WT (LB)/Roll	RL/SK
204260	1 sided	Cast	80	10.0	6000	19.2	80
204238	1 sided	Cast	49	19.7	9000	34.7	40
204259	1 sided	Cast	50	19.7	9000	35.4	40
204247	1 sided	Cast	55	19.7	8000	34.6	40
204254	1 sided	Cast	60	19.7	8000	37.8	40
204246	1 sided	Cast	65	19.7	6500	33.3	40
204242	1 sided	Cast	70	19.7	6000	33.1	40
204243	1 sided	Cast	80	19.7	6000	37.8	40
204239	1 sided	Cast	105	19.7	4250	35.2	40

Prima (Continued)



Item	Cling	MFG Process	Gauge	Width (IN)	Length (FT)	Roll WT (LB)/Roll	RL/SK
204294	1 sided	Cast	57	20.0	7500	34.2	40
204295	1 sided	Cast	63	20.0	7250	36.5	40
204269	1 sided	Cast	50	29.5	9000	53.1	20
204268	1 sided	Cast	60	29.5	8000	56.7	20
204266	1 sided	Cast	65	29.5	7000	53.9	20
204252	1 sided	Cast	70	29.5	6000	49.6	20
204263	1 sided	Cast	80	29.5	6000	56.7	20
204250	1 sided	Cast	90	29.5	5000	53.1	20

Prima Plus

Ultra-high performance stretch film with an even greater focus on load containment, puncture, tear resistance with source reduction using lighter films. Used in a wide range of operation conditions including cold, freezer and various levels of humidity.




Item	Cling	MFG Process	Gauge	Width (IN)	Length (FT)	Roll WT (LB)/Roll	RL/SK
204284	1 sided	Cast	42	20.0	11000	37.0	40
204285	1 sided	Cast	51	20.0	9000	36.7	40
204287	1 sided	Cast	55	20.0	8350	36.7	40
204288	1 sided	Cast	50	20.0	7500	30.0	40
204296	1 sided	Cast	65	20.0	7000	36.4	40

Handwrap

Performa


A classic blown general purpose handwrap, a very versatile film for load retention. Providing that extra protection for those difficult to contain pallets.



Item	Cling	MFG Process	Gauge	Width (IN)	Length (FT)	Roll WT (LB)/Roll	RL/SK
205166	Hand Wrap	Blown	70	18	1500	7.55	4
205168	Hand Wrap	Blown	80	18	1500	8.63	4

Prima

A thick gauge, light weight, high performing cast stretch hand film. The stiffness of the film provides high load containment for your shipping needs.



Item	Cling	MFG Process	Gauge	Width (IN)	Length (FT)	Roll WT (LB)/Roll	RL/SK
205185	Hand Wrap	Cast	47	12.8	1476	3.55	4
205187	Hand Wrap	Cast	47	16.0	1500	4.51	4

Pre-Stretch

Pre-stretch, a leading industry film which provides strength in both directions. A blown film with excellent puncture and tear resistance with folded outside edges to reduce “neck-down” and breakage. Ideal solution for all your hand wrapping applications.



Item	Cling	MFG Process	Gauge	Width (IN)	Length (FT)	Roll WT (LB)/Roll	RL/SK
205174	Hand Wrap	Blown	33	12.5	1476	2.44	4
205177	Hand Wrap	Blown	33	15.5	1476	3.02	4
205173	Hand Wrap	Blown	39	12.5	1476	2.88	4
205172	Hand Wrap	Blown	39	17.5	1476	4.03	4
205182	Hand Wrap	Blown	24	15.5	2000	2.98	120
205181	Hand Wrap	Blown	29	14.5	2000	3.36	128
205186	Hand Wrap	Blown	29	14.5	2000	3.48	132
205178	Hand Wrap	Blown	29	15.5	2000	3.60	132
205179	Hand Wrap	Blown	29	17.5	2000	4.06	132
205180	Hand Wrap	Blown	29	17.5	2000	4.06	132