

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

##### 1.1. Product identifier

**Product Identity** 400217 Tork Hand Sanitizer Alcohol Foam

**Alternate Names** 400217 Tork Hand Sanitizer Alcohol Foam

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** A topical antiseptic solution for hands that is effective in destroying certain bacteria.

**Application Method** Apply 2 - 3 ml. to clean, dry hands. Rub thoroughly onto hands and allow to dry.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Essity Professional Hygiene North America  
P.O. Box 2400  
Neenah, WI 54957-2400

#### 1.4. Emergency telephone number

**CHEMTREC (USA)** (800) 424-9300

**Customer Service: Essity Professional Hygiene North America** 1-866-722-8675

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Flammable liquids** Category 2

#### 2.2. GHS Label elements, including precautionary statements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

**Signal word:** **Danger**

Highly flammable liquid and vapor



**Appearance:** Clear to Slightly Hazy, Colorless, Water-Thin Liquid      **Physical state:** Water-Thin Liquid      **Odor:** Alcohol

##### [Prevention]:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

##### [Response]:

##### **Skin**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

##### **Fire**

In case of fire: Use CO2, dry chemical, or foam for extinction

##### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

##### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### 2.3. Hazards not otherwise classified (HNOC)

Not applicable

# 400217 Tork Hand Sanitizer Alcohol Foam

## Safety data sheet

according to OSHA Hazard Communication Standard (HCS) 2012

### 2.4. Unknown Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

### 2.5. Other information

Toxic to aquatic life

### 2.6. Interactions with Other Chemicals

None known.

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Chemical name	CAS No	Weight-%	Trade Secret
Ethyl Alcohol 70% v/v	64-17-5	50 - 100	*
Water	7732-18-5	10 - 50	*
PEG-8 Dimethicone	68937-54-2	0 - 10	*
Meadowfoamamidopropyl Betaine	Proprietary	0 - 10	*
Glyceryl Caprylate/Caprate	91744-32-0	0 - 10	*
Glycerin	56-81-5	0 - 10	*
Tocopheryl Acetate	7695-91-2	0 - 10	*
Isopropyl Myristate	110-27-0	0 - 10	*

The exact percentage (concentration) of composition has been withheld as a trade secret

### 3.2. Mixture

No additional information available

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If not breathing, give artificial respiration.
<b>Ingestion</b>	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delaye

<b>Most Important Symptoms and Effects</b>	No information available.
--	---------------------------

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Water spray, fog or alcohol-resistant foam. Use water spray or fog; do not use straight streams.

### 5.2. Unsuitable extinguishing media

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient.

### 5.3. Specific hazards arising from the chemical

Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

<b>Uniform Code</b>	Flammable Liquid: I-B
---------------------	-----------------------

### 5.4. Hazardous Combustion Products

Carbon oxides.

# 400217 Tork Hand Sanitizer Alcohol Foam

## Safety data sheet

according to OSHA Hazard Communication Standard (HCS) 2012

### 5.5. Explosion Data

**Sensitivity to Mechanical Impact** No

**Sensitivity to Static Discharge** Yes

### 5.6. Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

## SECTION 6: Accidental release measure

### 6.1. Personal precautions, protective equipment and emergency procedure

**Personal precautions** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk.

**Other Information** Water spray may reduce vapor; but may not prevent ignition in closed spaces.

### 6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

**Methods for cleaning up** Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

**Incompatible Products** None known based on information supplied.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Guidelines

There is no exposure data pertaining to the Product. This section reflects exposure data pertaining to individual ingredients.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 70% v/v 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m3 (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m3	IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m3
Glycerin 56-81-5	TWA: 10 mg/m3 mist	TWA: 15 mg/m3 mist, total particulate TWA: 5 mg/m3 mist, respirable fraction (vacated) TWA: 10 mg/m3 mist, total particulate (vacated) TWA: 5 mg/m3 mist, respirable fraction	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

#### Other Exposure Guidelines

### 8.2. Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

# 400217 Tork Hand Sanitizer Alcohol Foam

## Safety data sheet

according to OSHA Hazard Communication Standard (HCS) 2012

### 8.3. Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Tight sealing safety goggles.
<b>Skin and body protection</b>	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## SECTION 9: Physical and chemical properties

### 9.1. Physical and Chemical Properties

<b>Appearance</b>	Water-Thin Liquid, Clear to Slightly Hazy, Colorless, Water-Thin Liquid
<b>Odor</b>	Alcohol
<b>Odor threshold</b>	Not Measured
<b>pH</b>	UNKNOWN
<b>Melting point / freezing point</b>	No data available
<b>Initial boiling point and boiling range</b>	No data available
<b>Flash Point</b>	22 C / 72 F
<b>Evaporation rate (Ether = 1)</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> No data available <b>Upper Explosive Limit:</b> No data available
<b>Vapor pressure (Pa)</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	0.879
<b>Solubility in Water</b>	Miscible in water
<b>Partition coefficient n-octanol/water (Log Kow)</b>	0
<b>Auto-ignition temperature</b>	No data available
<b>Decomposition temperature</b>	No data available
<b>Viscosity (cSt)</b>	No data available

### 9.2. Other information

No other relevant information.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

None under normal processing

### 10.4. Hazardous Polymerization

Hazardous polymerization does not occur.

### 10.5. Conditions to avoid

Heat, flames and sparks.

### 10.6. Incompatible materials

None known based on information supplied.

### 10.7. Hazardous decomposition products

Carbon oxides.

# 400217 Tork Hand Sanitizer Alcohol Foam

## Safety data sheet

according to OSHA Hazard Communication Standard (HCS) 2012

### SECTION 11: Toxicological information

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

#### 11.1. Information on likely routes of exposure

##### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available
<b>Skin contact</b>	Specific test data for the substance or mixture is not available
<b>Ingestion</b>	Specific test data for the substance or mixture is not available

##### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol 70% v/v 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L ( Rat ) 4 h
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Glycerin 56-81-5	= 12600 mg/kg ( Rat )	> 10 g/kg ( Rabbit )	> 570 mg/m3 ( Rat ) 1 h
Isopropyl Myristate 110-27-0	> 10000 mg/kg ( Rat )	= 5 g/kg ( Rabbit )	> 41 mg/L ( Rat ) 1 h

#### 11.2. Information on toxicological effects

**Symptoms** No information available.

#### 11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Mutagenic Effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies ONLY when consumed as alcoholic beverage.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 70% v/v 64-17-5	A3	Group 1	Known	X

#### ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

#### IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

#### NTP (National Toxicology Program)

Known - Known Carcinogen

#### OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X – Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** No known effect based on information supplied. Carcinogenic potential is unknown.

**Target Organ Effects** Blood. Central Nervous System (CNS). Eyes. Kidney. Liver. Reproductive System. Respiratory system. Skin.

**Aspiration Hazard** No information available.

# 400217 Tork Hand Sanitizer Alcohol Foam

## Safety data sheet

according to OSHA Hazard Communication Standard (HCS) 2012

### 11.4. Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**  
11,048.00 mg/kg

**ATEmix (inhalation-dust/mist)**  
196.90 mg/l

## SECTION 12: Ecological information

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

### 12.1. Ecotoxicity

Toxic to aquatic organisms.

### 12.2. Persistence and degradability

No information available..

### 12.3. Bioaccumulation

No information available.

### 12.4. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Disposal methods</b>	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
<b>Contaminated Packaging</b>	Dispose of contents/containers in accordance with local regulations.
<b>US EPA Waste Number</b>	D001
<b>California Hazardous Waste Codes</b>	311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## SECTION 14: Transport information

<b>DOT</b>	<b>Proper Shipping Name</b>	CONSUMER COMMODITY
	<b>Hazard Class</b>	ORM-D
	<b>Description</b>	CONSUMER COMMODITY, ORM-D
	<b>Emergency Response Guide Number</b>	127
<b>TDG</b>	<b>UN-No.</b>	UN1170
	<b>Proper Shipping Name</b>	ETHANOL SOLUTION
	<b>Hazard Class</b>	3
	<b>Packing Group</b>	II
	<b>Description</b>	UN1170, ETHANOL SOLUTION, 3, II
<b>MEX</b>	<b>UN-No.</b>	UN1170
	<b>Proper Shipping Name</b>	ETHANOL SOLUTION
	<b>Hazard Class</b>	3

# 400217 Tork Hand Sanitizer Alcohol Foam

## Safety data sheet

according to OSHA Hazard Communication Standard (HCS) 2012

	<b>Packing Group</b>	II
	<b>Description</b>	UN1170, ETHANOL SOLUTION, 3, II
<b>ICAO</b>	<b>UN-No.</b>	UN1170
	<b>Proper Shipping Name</b>	ETHANOL SOLUTION
	<b>Hazard Class</b>	3
	<b>Packing Group</b>	II
	<b>Description</b>	UN1170, ETHANOL SOLUTION, 3, II
<b>IATA</b>	<b>UN-No.</b>	UN1170
	<b>Proper Shipping Name</b>	ETHANOL SOLUTION
	<b>Hazard Class</b>	3
	<b>Packing Group</b>	II
	<b>ERG Code</b>	3L
	<b>Description</b>	UN1170, ETHANOL SOLUTION, 3, II
<b>IMDG/IMO</b>	<b>UN-No.</b>	UN1170
	<b>Proper Shipping Name</b>	ETHANOL SOLUTION
	<b>Hazard Class</b>	3
	<b>Packing Group</b>	II
	<b>EmS-No.</b>	F-E, S-D
	<b>Description</b>	UN1170, ETHANOL SOLUTION, 3, II, (22°C C.C.)
<b>RID</b>	<b>UN-No.</b>	UN1170
	<b>Proper Shipping Name</b>	ETHANOL SOLUTION
	<b>Hazard Class</b>	3
	<b>Packing Group</b>	II
	<b>Classification code</b>	F1
	<b>Description</b>	UN1170, ETHANOL SOLUTION, 3, II
<b>ADR</b>	<b>UN-No.</b>	UN1170
	<b>Proper Shipping Name</b>	ETHANOL SOLUTION
	<b>Hazard Class</b>	3
	<b>Packing Group</b>	II
	<b>Classification code</b>	F1
	<b>Tunnel restriction code</b>	(D/E)
	<b>Description</b>	UN1170, ETHANOL SOLUTION, 3, II, (D/E)
<b>ADN</b>	<b>UN-No.</b>	UN1170
	<b>Proper Shipping Name</b>	ETHANOL SOLUTION
	<b>Hazard Class</b>	3
	<b>Packing Group</b>	II
	<b>Classification code</b>	F1
	<b>Special Provisions</b>	144, 601
	<b>Description</b>	UN1170, ETHANOL SOLUTION, 3, II
	<b>Hazard Labels</b>	3
	<b>Limited Quantity</b>	1 L
	<b>Ventilation</b>	VE01

### SECTION 15: Regulatory information

# 400217 Tork Hand Sanitizer Alcohol Foam

## Safety data sheet

according to OSHA Hazard Communication Standard (HCS) 2012

### 15.1. International Inventories

<b>TSCA</b>	Not determined
<b>DSL</b>	Not determined
<b>IECSC</b>	

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

### 15.2. US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

<b>Acute Health Hazard</b>	No
<b>Chronic Health Hazard</b>	No
<b>Fire Hazard</b>	Yes
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### 15.3. US State Regulations

#### California Proposition 65 – NONE

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl Alcohol 70% v/v 64-17-5	X	X	X		X
Glycerin 56-81-5	X	X	X	X	

### 15.4. International Regulations

#### Mexico

##### National occupational exposure limits

Chemical name	Carcinogen Status	Exposure Limits
Ethyl Alcohol 70% v/v		Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m <sup>3</sup>
Glycerin	-	10mg/m <sup>3</sup> (mist) TWA

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

##### WHMIS Hazard Class



# 400217 Tork Hand Sanitizer Alcohol Foam

## Safety data sheet

according to OSHA Hazard Communication Standard (HCS) 2012

Not determined

### SECTION 16: Other

<b>NFPA</b>	<b>Health Hazards:</b> 1	<b>Flammability:</b> 3	<b>Instability:</b> 0	<b>Physical and Chemical Hazards:</b> N/A
<b>HMIS</b>	<b>Health Hazards:</b> 1	<b>Flammability:</b> 3	<b>Physical Hazard:</b> 0	<b>Personal Protection:</b> 0

**Prepared By** Product Stewardship  
23 British American Blvd. Latham, NY 12110  
1-800-572-6501

Issuing Date January 26, 2017

Revision Date August 21, 2017

Revision Note Update to ingredient CAS number (Section 3)

End of Document